

PB S225-12E

Self-propelled Scissor lift

22,50 m Working height

1,22 m Total width

indoor



Technical specifications




	Working height	22,50 m		Platform extension (scissors)	1,50 m
	Platform height	20,50 m		Gradeability	25 %
	Lift capacity	600 kg		Speed - stowed	1,44 km/h
	Lift capacity platform extension	600 kg		Speed - raised	0,13 km/h
	Total length	4,18 m		Drive type	Electro-hydraulic drive
	Total width	1,22 m		Battery capacity	640 Ah
	Total height	3,57 m		Area of application	indoor
	Turning radius outside	3,65 m		People indoor	2
	Transport height	2,73 m			-
	Total weight	9.384 kg		Drivable at full height	Yes

Product description

- The combination of the compact dimensions (only 1,22 m (4.00ft) width) and a 90° steering angle promises maximum flexibility
- An electro-hydraulic drive ensures even during long working cycles the necessary power reserves
- The proportional control for all functions of the working platform (driving, lifting, lowering) guarantee precisely and smooth operations
- With a working height of 22,50 m (73.82 ft) it's easy to realize high rack- and installation works in medium high altitudes
- A load capacity of 600 kg on the platform maneuver workers including materials and tools easily vertical upwards

Product diagram



We reserve the right to make technical changes / improvements.



Platformers **B**usiness

PB Lifttechnik GmbH | Gewerbegebiet Gassenäcker | 89429 Oberbechingen

Telefon: +49 (0) 90 77 - 95 00 - 0 | Telefax: +49 (0) 90 77 - 95 00 - 40

E-Mail: info@pblift.de | Website: pblift.de



PB S225-12E

Self-propelled Scissor lift

22,50 m Working height

1,22 m Total width

indoor



Product images



We reserve the right to make technical changes / improvements.



Platformers **B**usiness

PB Lifttechnik GmbH | Gewerbegebiet Gassenäcker | 89429 Oberbechingen

Telefon: +49 (0) 90 77 - 95 00 - 0 | Telefax: +49 (0) 90 77 - 95 00 - 40

E-Mail: info@pblift.de | Website: pblift.de

